



**⋈** velluto.tm@gmail.com

panjur.velluto-italy.ru

**Q** 70 G. Guliyev Street, Office No. 202, Ashgabat city



#### Focused on outdoor sunshade products

Provide comprehensive services including customization, design, production and processing, after-sales service, etc

RETRACTABLE AWNING



# Velluto

01、A02 Retractable Awning		 	P1-P2
03、A04 Retractable Awning		 	P3-P4
95、A06 Retractable Awning		 	P5-P6
98、A09 Retractable Awning		 	P7-P8
22、B05 Retractable Awning		 	P9-P10
06、B09 Retractable Awning		 	P11-P12
R, K7 Retractable Awning		 	P13-P14
03 Retractable Awning		 	P15-P16
ll Cassette Awning (Classical Type)、	(Heavy Duty Type)	 	P17-P18
bric Introduction		 	P19-P20
vning Accessories		 	P21-P22



#### ♦ The curved arm is made of aluminum alloy

♦ Double wire links are used at joints

♦ Thickened and thickened arms and joint heads











#### A01 Aluminum Arm Set

(Scalable up to 3.5 meters)

- Retractable Arm
- 2 Plate Bracket
- Screw Fittings

6 Gear box

- Reel S/Q Cap Plug

### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter		Customization size range					
Extend Width	1.5	2.0	2.5	3.0	3.5		
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*		
6	*	*	*	*	*		





### **A02 Retractable Awning**



♦ The curved arm is made of aluminum alloy







arms and joint heads








A02 Aluminum Arm Set


(Scalable up to 4 meters)

- 3 Screw Fittings

#### **Customization of finished products**

Unit: meter			Customizati	ion size range		
Extend Width	1.5	2.0	2.5	3.0	3.5	4.0
2	*					
3	*	*	*			
4	*	*	*	*	*	
5	*	*	*	*	*	*
6	*	*	*	*	*	*











### of aluminum alloy















#### A03 Aluminum Arm Set

(Scalable up to 3.5 meters)

- 1 Retractable Arm 4 Front Bar Cap
- 2 Plate Bracket
- Reel S/Q Cap Plug
- 6 Screw Fittings

# **Customization of finished products** (Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range					
Extend Width	1.5	2.0	2.5	3.0	3.5	
2	*					
3	*	*	*			
4	*	*	*	*	*	
5	*	*	*	*	*	
6	*	*	*	*	*	





### **A04 Retractable Awning**




♦ The curved arm is made of aluminum alloy





♦ Thickened and thickened











#### A04 Aluminum Arm Set

(Scalable up to 3.5 meters)

1 Retractable Arm

4 Screw Fittings

2 5 Hole Hi/lo Regulator(L) 6 Gear box

7 5 Hole Hi/lo Regulator(R)

6 Front Bar Cap

8 Wall Bracket

9 Side Bracket

Reel S/Q Cap Plug

#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter		Customization size range					
Extend Width	1.5	2.0	2.5	3.0	3.5		
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*		
6	*	*	*	*	*		





Velluto 4

#### ◆Aluminrm Alloy arm set with blackor white powder coated

♦ Aluminum arm width

- ♦ More Flexible and durable with
- ♦ Thickened plate bracket mounting















#### A05 Aluminum Arm Set

(Scalable up to 3.5 meters)


- 6 Reel S/Q Cap Plug

#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range						
Extend Width	1.5	2.0	2.5	3.0	3.5		
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*		
6	*	*	*	*	*		





## **A06 Retractable Awning**



◆ Curved arm made of all aluminum ◆ Stainless steel chain link at the







♦ Front aluminum arm width ♦ Rear aluminum arm width ♦ Aluminum wall thickness

3 Gear box 6 Reel S/Q Cap Plug







#### A06 Aluminum Arm Set

(Scalable up to 3.5 meters)

1 Retractable Arm


2 Plate Bracket

8 Screw Fittings

**?** Front Bar Cap

#### **Customization of finished products**

Unit: meter		Cust	omization size ra	inge	
Extend Width	1.5	2.0	2.5	3.0	3.5
2	*				
3	*	*	*		
4	*	*	*	*	*
5	*	*	*	*	*
6	*	*	*	*	*





### arm withdouble plate bracket



#### ♦ Thickened and widened retractable armdesign is specially for wind













#### A08 Aluminum Arm Set

(Scalable up to 4.5 meters)


- 1 Retractable Arm
- 2 Plate Bracket
- Reel S/Q Cap Plug


- 4 Front Bar Cap
- Screw Fittings

#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter		Customization size range							
Extend Width	1.5	2.0	2.5	3.0	3.5	4.0	4.5		
2	*								
3	*	*	*						
4	*	*	*	*	*				
5	*	*	*	*	*	*	*		
6	*	*	*	*	*	*	*		





## **A09 Retractable Awning**



arm withdouble plate bracket with stainless chain interlink

♦ Aluminum Alloy retractable ♦ More Flexible and durable



Thickened and widened

♦ Aluminum arm thickness

♦ Aluminum wall thickness







#### A09 Aluminum Arm Set

(Scalable up to 4.5 meters)

1 Retractable Arm

2 Plate Bracket

3 Screw Fittings

4 Front Bar Cap


6 Reel S/Q Cap Plug

6 Gear box

#### **Customization of finished products**

Unit: meter			Custo	mization siz	e range		
Extend Width	1.5	2.0	2.5	3.0	3.5	4.0	4.5
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*	*	*
6	*	*	*	*	*	*	*





### **B02** Retractable Awning



### of aluminum alloy

- ♦ Double wire links are used at joints
- ♦ Thickened and thickened arms and joint heads













#### **B02 Aluminum Arm Set**


(Scalable up to 3.5 meters)

Front Bar Cap

- 1 Retractable Arm 2 Wall Bracket 4 Hole Hi/lo Regulator
  - Reel S/Q Cap Plug
  - 8 Side Bracket
- 3 Screw Fittings
- 6 Gear box
- Wall Bracket Cap

#### **Customization of finished products** (Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range						
Extend Width	1.5	2.0	2.5	3.0	3.5		
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*		
6	*	*	*	*	*		





### **B05** Retractable Awning



◆ Curved arm made of all aluminum ◆ Stainless steel chain links at alloy material, with optional white the joints have greater elasticity





♦ Aluminum arm thickness







3 Front Bar Cap

6 Wall Bracket

#### **B05 Aluminum Arm Set**

(Scalable up to 3.5 meters)

♦ Aluminum arm width

1 Retractable Arm

8 Side Bracket


- 4 Screw Fittings
- 6 Gear box
  - 7 5Hole Hi/lo Regulator

2 Reel S/Q Cap Plug


#### **Customization of finished products**

Unit: meter		Cus	tomization size 1	range	
Extend Width	1.5	2.0	2.5	3.0	3.5
2	*				
3	*	*	*		
4	*	*	*	*	*
5	*	*	*	*	*
6	*	*	*	*	*






### **B06** Retractable Awning



#### ♦ Curved arm made of all aluminum ♦ Stainless steel chain link at the alloy material, equipped with LED















#### **B06 Aluminum Arm Set**

(Scalable up to 3.5 meters)


Wall Bracket Cap 3 5 Hole Hi/lo Regulator

Screw Fittings

#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range						
Extend Width	1.5	2.0	2.5	3.0	3.5		
2	*						
3	*	*	*				
4	*	*	*	*	*		
5	*	*	*	*	*		
6	*	*	*	*	*		







### **B09 Retractable Awning**




### ♦ Curved arm made of all aluminum ♦ The stainless steel chain connecting ♦ Rear pipe installation, optional color













◆ Aluminum arm thickness



♦ Aluminum wall thickness

#### **B09 Aluminum Arm Set**

(Scalable up to 4 meters)

1 Retractable Arm

4 Reel S/Q Cap Plug

Side Bracket

2 5 Hole Hi/lo Regulator 3 Gear box


6 Front Bar Cap 6 Screw Fittings

8 Wall Bracket

9 Wall Bracket Cap


#### **Customization of finished products**

Unit: meter	Customization size range									
Extend Width	1.5	2.0	2.5	3.0	3.5	4.0				
2	*									
3	*	*	*							
4	*	*	*	*	*					
5	*	*	*	*	*	*				
6	*	*	*	*	*	*				





## K3 Retractable Awning



### of aluminum alloy

- ♦ Double wire links are used at joints
- ♦ Thickened and thickened arms and joint heads





♦ Aluminum wall thickness



#### K3 Aluminum Arm Set

(Scalable up to 3.5 meters)

- 1 Retractable Arm
- 2 Plate Bracket
- 3 Screw Fittings


- 4 Front Bar Cap
- 6 Reel S/Q Cap Plug


#### 6 Gear box

#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range										
Extend Width	1.5	2.0	2.5	3.0	3.5						
2	*										
3	*	*	*								
4	*	*	*	*	*						
5	*	*	*	*	*						
6	*	*	*	*	*						





### **K7** Retractable Awning



♦ The curved arm is made of aluminum alloy



made of magnesium alloy

♦ Joints and other parts are





Rear aluminum arm width





#### **K7 Aluminum Arm Set**

(Scalable up to 3.5 meters)

- 1 Retractable Arm
- 2 Plate Bracket
- 4 Front Bar Cap

Reel S/Q Cap Plug


### **6** Screw Fittings



#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range									
Extend Width	1.5	2.0	2.5	3.0	3.5					
2	*									
3	*	*	*							
4	*	*	*	*	*					
5	*	*	*	*	*					
6	*	*	*	*	*					







♦ Thickened and thickened



#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range									
Extend Width	1.5	2.0	2.5	3.0	3.5					
2	*									
3	*	*	*							
4	*	*	*	*	*					
5	*	*	*	*	*					
6	*	*	*	*	*					



### of aluminum alloy

- ♦ Double wire links are used at joints
- ♦ Thickened and thickened arms and joint heads




3 Screw Fittings

6 Hole Hi/lo Regulator

- ♦ Front aluminum arm width ♦ Rear aluminum arm width ♦ Aluminum wall thickness







#### W03 Aluminum Arm Set

(Scalable up to 3.5 meters)

- 1 Retractable Arm
- 2 Wall Bracket
- 6 Front Bar Cap
- 4 Reel S/Q Cap Plug Side Bracket
- Gear box

# Velluto 16

### [Retractable awnings make life better]

When sunny, roll out half a curtain of light and shadow for afternoon tea, and when rain, a small world of shelter from the rain can be opened, so that every outdoor corner can change into an ideal life with the weather.
















#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range										
Width Extend	7	6.5	6	5.5	5	4.5	4	3.5	3	2.5	2
4.0	*	*	*	*	*	*					
3.5	*	*	*	*	*	*	*				
3.0	*	*	*	*	*	*	*	*			
2.5	*	*	*	*	*	*	*	*	*		
2.0	*	*	*	*	*	*	*	*	*	*	
1.5		*	*	*	*	*	*	*	*	*	*



# Velluto 17









♦ Spanish Fabric











## Full Cassette Awning(Heavy Duty Type)



#### **Customization of finished products**

(Customization of finished products/Wholesale of accessories)

Unit: meter	Customization size range										
Width Extend	7	6.5	6	5.5	5	4.5	4	3.5	3	2.5	2
4.0	*	*	*	*	*	*					
3.5	*	*	*	*	*	*	*				
3.0	*	*	*	*	*	*	*	*			
2.5	*	*	*	*	*	*	*	*	*		
2.0	*	*	*	*	*	*	*	*	*	*	
1.5		*	*	*	*	*	*	*	*	*	*



# Velluto 18















♦ Waterproof Led Strips ♦ Thicken Stainless

















### **Fabric Introduction**

# Sauleda, Spain "European century fabric family, professional sunshade fabric brand"Ten years fastness















## Raw liquid acrylic fabric


The choice of cost-effective, five years do not fade

**Fabric Introduction** 



## High sun resistant fabric

Economical, two years do not fade



## **Awning Accessories**







B05 Aluminum Arm



B09 Aluminum Arm





















































**Awning Accessories** 

Luxury copper core Gearbox









